

FLEXO/ILP COLLECTION PAPER AND FILM ROLL STOCK LIST



Experts in "What If..."

| Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | |
|------------------------------------|-------------|-----|---|---------|-------------|--------------|--------|-------------------|-----------|----|----|
| | | | | | | | | | WI | NV | GA |
| COATED PRODUCTS | | | | | | | | | | | |
| | W027669 | 60# | High Gloss | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W027741 | 60# | High Gloss | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W015353 | 55# | Digital White Semi Gloss, FSC® Certified | 245 | 40# | 60" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | x |
| | W036883 | 60# | Semi Gloss, FSC® Certified | 241 | 40# | 60" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W036886 | 60# | Semi Gloss, FSC® Certified | PCT-524 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W037091 | 60# | Semi Gloss, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W030737 | 80# | Semi Gloss | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W027759 | 60# | Matte w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W027823 | 60# | Matte w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W030279 | 60# | Matte | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 | x | x | |
| UNCOATED/SPECIALTY PRODUCTS | | | | | | | | | | | |
| | W027880 | 60# | Polar White Uncoated w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W035489 | 55# | Bella® Label White Laid w/ Wet Strength, FSC® Certified | 890 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W027827 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W027832 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W026462 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W025550 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W024688 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | | |
| | W036454 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | WA-769 | 1.2 mil PET | 39" | 1,668" | Master x 1,668 LF | x | | |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia

FLEXO/ILP COLLECTION PAPER AND FILM ROLL STOCK LIST



Experts in "What If..."

| ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | |
|-----|-------------|-----|---|--------|-------------|--------------|--------|-------------------|-----------|----|----|
| | | | | | | | | | WI | NV | GA |
| A | W027834 | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027885 | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027802 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027898 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027805 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027846 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W035577 | 60# | Solar White Classic Crest®, 30% PCW w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W026460 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W026970 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W025866 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027509 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | |
| A | W035550 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8076 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| A | W036453 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | WA-769 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| A | W037846 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8021 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | |
| A | W027800 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027853 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| A | W027650 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia

FLEXO/ILP COLLECTION PAPER AND FILM ROLL STOCK LIST



Experts in "What If..."

| Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | |
|-----|-------------|-------|--|--------|-------------------|--------------|--------|-------------------|-----------|----|----|
| | | | | | | | | | WI | NV | GA |
| 🌱 | W027876 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| 🌱 | W027810 | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| 🌱 | W036707 | 84# | Cotton Courtyard Felt (100% Cotton) w/ Wet Strength | i8017 | 1.2 mil 90% r-PET | 26" | 1,668' | Master x 1,668 LF | x | | |
| | W027901 | 60# | Martele White w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W036939 | 60# | Martele White w/ Wet Strength | P245-R | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| 🌱 | W033579 | 60# | Starlight w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W027896 | 60# | Black Vellum w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W035752 | 60# | Black Vellum w/ Wet Strength | H-318 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | |
| 🌱 | W033578 | 55# | 100% Recycled Natural Kraft | 245 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W031551 | | Cherry Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | | |
| | W032189 | | Birch Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | | |
| | W035385 | | Oak Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | | |
| 🌱 | W027167 | 60# | White Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W030779 | 60# | White Motif w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W035576 | 74# | Polar White Opaque w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W029544 | 155# | Crimson Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W030373 | 155# | Midnight Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| 🌱 | W035046 | 50# | Aged Agave, 100% PCW w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | | |
| 🌱 | W035559 | 60# | Recycled Vellum, 100% PCW w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| 🌱 | W033743 | 60# | 420 Vellum, 50% Hemp, 50% PCW w/ Wet Strength | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| 🌱 | W017351 | 4 mil | White Stone Paper | 241 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W032804 | 70# | Bright Silver Foil | WL-100 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | |
| | W031409 | 143# | Castile Bright Silver Foil | i8017 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | |

A 🌱 signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia

FLEXO/ILP COLLECTION PAPER AND FILM ROLL STOCK LIST



Wausau coated

Experts in "What If..."

| Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | |
|-----|-------------|------|---|--------|-------------|--------------|--------|-------------------|-----------|----|----|
| | | | | | | | | | WI | NV | GA |
| | W035441 | 143# | Castile Bright Silver Foil Dual Metal | i8017 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | |
| | W034941 | 51# | Bright Silver Metalized Paper w/ Wet Strength | 890 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W012035 | 63# | Bright Silver Metalized Paper | 241 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W012899 | 63# | Bright Silver Metalized Paper | 245 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W034919 | 63# | Bright Silver Metalized Paper | WL-105 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W037707 | 60# | Hydro Opaque™ Avon Brilliant White Classic® Crest w/ Wet Strength, FSC® Certified | H-309 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029231 | 76# | Ever Opaque® XL - Matte w/ Wet Strength | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W029230 | 75# | Ever Opaque® XL - Estate Label® #4 w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029229 | 75# | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W028961 | 75# | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W029228 | 75# | Ever Opaque® XL - Estate Label® #9 w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029226 | 75# | Ever Opaque® XL - Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029227 | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W035574 | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W034346 | 95# | Ever Opaque® XL - Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified | 890 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029129 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W029153 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | | | | | | | 2,500' | No Trim | x | x | |
| | W029085 | 85# | Ever Opaque® XL - Eggshell Felt 30% PCW w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia

FLEXO/ILP COLLECTION PAPER AND FILM ROLL STOCK LIST



Experts in "What If..."

| Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | |
|----------------------|-------------|---------|--|---------|-------------|--------------|--------|-------------------|-----------|----|----|
| | | | | | | | | | WI | NV | GA |
| FILM PRODUCTS | | | | | | | | | | | |
| | W020658* | 2 mil | Shimless Rainbow PET Hologram w/ 30% PCR | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | x |
| | W024469 | 2.6 mil | TC White Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W028173 | 2.6 mil | TC White Polypropylene | AT-2060 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W029462 | 2.6 mil | TC White Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W029464 | 2.6 mil | TC White Polypropylene | PCT-524 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W035316 | 2.6 mil | TC White Polypropylene | R-218 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W036193 | 2.6 mil | TC White Polypropylene | P-592 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W027926 | 2.3 mil | TC White Polypropylene | AT-2060 | 40# | 52" | 1,668' | Master x 1,668 LF | x | x | |
| | W034118 | 1.9 mil | TC Clear Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W025420 | 2 mil | TC Metalized Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | x |
| | W028783 | 2 mil | TC Metalized Polypropylene | AT-2060 | 50# SC | 39" | 1,668' | Master x 1,668 LF | x | x | |
| | W026292 | 2 mil | TC Metalized Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W013956 | 2 mil | Clear Polyester | CP-300 | 50# | 39" | 1,668' | Master x 1,668 LF | x | | |
| | W000093 | 3.4 mil | Matte TC White Flex Vinyl | 950 | 80# | 54" | 1,668' | Master x 1,668 LF | x | | |

*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

No Trim Program Guidelines - Flexo

- Roll length can vary by +/- 5%
- **Minimum Order Quantity** - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
- **Minimum width** - 4" roll
- **Order deadline for next day shipments from Las Vegas:** 4:00 pm CST
- 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

Ever Opaque® XL is a registered trademark of Wausau Coated Products, Inc.
Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

Look for our FSC®-certified products
FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia