

# SUSTAINABLE PRODUCTS STOCK LIST

## Flexo/ILP Roll Products



| No.                       | ECO | Catalog No. | Wt. | Facestock   | Adh.    | Liner       | Master Width | MOQ    | Service           | Warehouse |    |    |    |
|---------------------------|-----|-------------|-----|---|---------|-------------|--------------|--------|-------------------|-----------|----|----|----|
|                           |     |             |     |   |         |             |              |        |                   | WI        | NV | GA | MX |
| <b>FLEXO/ILP PRODUCTS</b> |     |             |     |   |         |             |              |        |                   |           |    |    |    |
|                           |     | W015353     | 55# | Digital White Semi Gloss, FSC® Certified                | 245     | 40#         | 60"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  | x  |    |
|                           |     | W037091     | 60# | Semi Gloss, FSC® Certified                              | H-318   | 44# PK      | 39"          | 1,668' | Master x 1,668 LF | x         | x  |    |    |
|                           |     | W037098     | 60# | Semi Gloss, FSC® Certified                              | 241     | 40#         | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     | W036883     | 60# | Semi Gloss, FSC® Certified                              | 241     | 40#         | 60"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W036886     | 60# | Semi Gloss, FSC® Certified                              | PCT-524 | 40#         | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     | W037095     | 60# | Semi Gloss, FSC® Certified                              | 842     | 40#         | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         |    |    |    |
|                           |     | W035489     | 55# | Bella® Label White Laid w/ Wet Strength, FSC® Certified | 890     | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    | x  |
|                           |     | W027827     | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified        | H-318   | 44# PK      | 52"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W027832     | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified        | H-318   | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W026462     | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified        | H-318   | 44# PK      | 52"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W025550     | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified        | H-318   | 1.2 mil PET | 52"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W036454     | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified        | WA-769  | 1.2 mil PET | 39"          | 1,668" | Master x 1,668 LF | x         |    |    |    |
|                           |     | W024688     | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified        | i8017   | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         |    |    |    |
|                           |     | W027834     | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified        | H-318   | 44# PK      | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
|                           |     | W027885     | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified        | H-318   | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|                           |     |             |     |   |         |             |              | 2,500' | No Trim           | x         | x  |    |    |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico

# SUSTAINABLE PRODUCTS STOCK LIST

## Flexo/ILP Roll Products



| No.     | ECO | Catalog No.  | Wt.   | Facestock   | Adh.   | Liner       | Master Width      | MOQ    | Service           | Warehouse |    |    |    |
|---------|-----|--|-------|---|--------|-------------|-------------------|--------|-------------------|-----------|----|----|----|
|         |     |  |       |   |        |             |                   |        |                   | WI        | NV | GA | MX |
|         |     | W027802  | 60#   | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318  | 44# PK      | 52"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W027898  | 60#   | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W027805  | 60#   | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318  | 44# PK      | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W027846  | 60#   | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318  | 1.2 mil PET | 52"               | 1,668' | Master x 1,668 LF | x         |    |    | x  |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W035577  | 60#   | TC Solar White Classic Crest®, 30% PCW w/ Wet Strength              | H-318  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
| 4       |     | W026460  | 70#   | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | H-318  | 44# PK      | 52"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W026970  | 70#   | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | H-318  | 1.2 mil PET | 52"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
|         |     | W027509  | 70#   | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | i8017  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         | x  |    |    |
|         |     | W035550  | 70#   | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | i8076  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     | W036453  | 70#   | Bright White Felt 30% PCW,w/ Wet Strength, FSC® Certified           | WA-769 | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
| W025866 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 44# PK  | 39"    | 1,668'      | Master x 1,668 LF | x      |                   |           |    |    |    |
|         |     |  |       |   |        | 2,500'      | No Trim           | x      | x                 |           |    |    |    |
| W037846 | 70# | Bright White Felt 30% PCW,w/ Wet Strength, FSC® Certified  | i8021 | 1.2 mil PET   | 39"    | 1,668'      | Master x 1,668 LF | x      | x                 |           |    |    |    |
| 7       |     | W027800  | 70#   | Natural Felt - 30% PCW, w/ Wet Strength                             | H-318  | 44# PK      | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
| 7       |     | W027853  | 70#   | Natural Felt - 30% PCW, w/ Wet Strength                             | H-318  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
| 8       |     | W027650  | 70#   | Eggshell Felt 30% PCW, w/ Wet Strength                              | H-318  | 44# PK      | 52"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |
| 8       |     | W027876  | 70#   | Eggshell Felt 30% PCW, w/ Wet Strength                              | H-318  | 1.2 mil PET | 39"               | 1,668' | Master x 1,668 LF | x         |    |    |    |
|         |     |  |       |   |        |             |                   | 2,500' | No Trim           | x         | x  |    |    |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico

# SUSTAINABLE PRODUCTS STOCK LIST

## Flexo/ILP Roll Products



| No. | ECO | Catalog No. | Wt.   | Facestock   | Adh.   | Liner             | Master Width | MOQ    | Service           | Warehouse |    |    |    |
|-----|-----|-------------|-------|---|--------|-------------------|--------------|--------|-------------------|-----------|----|----|----|
|     |     |             |       |   |        |                   |              |        |                   | WI        | NV | GA | MX |
| 10  |     | W027810     | 70#   | Cotton Courtyard (100% Cotton) w/ Wet Strength  | H-318  | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
| 11  |     | W036707     | 84#   | Cotton Courtyard Felt (100% Cotton) w/ Wet Strength                                   | i8017  | 1.2 mil 90% r-PET | 26"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
| 16  |     | W033578     | 55#   | 100% Recycled Natural Kraft   | 245    | 40#               | 39"          | 1,668' | Master x 1,668 LF | x         |    |    | x  |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
|     |     | W035046     | 50#   | Aged Agave, 100% PCW w/ Wet Strength, FSC® Certified                                  | H-318  | 1.2 mil 90% r-PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         |    |    |    |
| 2   |     | W035559     | 60#   | Recycled Vellum, 100% PCW w/ Wet Strength   | H-318  | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
|     |     | W033743     | 60#   | 420 Vellum, 50% Hemp, 50% PCW w/ Wet Strength   | i8017  | 1.2 mil 90% r-PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
| 17  |     | W017351     | 4 mil | White Stone Paper   | 241    | 40#               | 39"          | 1,668' | Master x 1,668 LF | x         | x  |    |    |
|     |     | W037707     | 60#   | Hydro Opaque™ Avon Brilliant White Classic® Crest w/ Wet Strength, FSC® Certified     | H-309  | 1.2 mil PET       | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     | W029230     | 75#   | Ever Opaque® XL - Estate Label® #4 w/ Wet Strength, FSC® Certified                    | PW-831 | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     | W029229     | 75#   | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified                    | PW-831 | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
|     |     | W028961     | 75#   | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified                    | PW-831 | 1.2 mil PET       | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
|     |     | W029228     | 75#   | Ever Opaque® XL - Estate Label® #9 w/ Wet Strength, FSC® Certified                    | PW-831 | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     | W029226     | 75#   | Ever Opaque® XL - Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | PW-831 | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     | W029227     | 75#   | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 44# PK            | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
|     |     | W035574     | 75#   | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET       | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |   |        |                   |              | 2,500' | No Trim           | x         | x  |    |    |
| 18  |     | W034346     | 95#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | 890    | 1.2 mil PET       | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |

Ever Opaque® XL is a registered trademark of Wausau Coated Products, Inc.

Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico

# SUSTAINABLE PRODUCTS STOCK LIST

## Flexo/ILP Roll Products



| No. | Eco | Catalog No. | Wt.   | Facestock  | Adh.    | Liner       | Master Width | MOQ    | Service           | Warehouse |    |    |    |
|-----|-----|-------------|-------|--|---------|-------------|--------------|--------|-------------------|-----------|----|----|----|
|     |     |             |       |  |         |             |              |        |                   | WI        | NV | GA | MX |
| 19  |     | W029129     | 85#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831  | 44# PK      | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |  |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
| 19  |     | W029153     | 85#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831  | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         |    |    |    |
|     |     |             |       |  |         |             |              | 2,500' | No Trim           | x         | x  |    |    |
| 20  |     | W029085     | 85#   | Ever Opaque® XL - Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified     | PW-831  | 1.2 mil PET | 39"          | 1,668' | Master x 1,668 LF | x         | x  |    |    |
| 21  |     | W020658     | 2 mil | Shimless Rainbow PET Hologram w/ 30% PCR                                     | AT-2060 | 40#         | 39"          | 1,668' | Master x 1,668 LF | x         |    | x  |    |

### No Trim Program Guidelines

- Roll lengths can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
- Minimum width - 4" roll
- Order deadline for next day shipments from Las Vegas: 4:00 pm CST
- 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico

# SUSTAINABLE PRODUCTS STOCK LIST

## Indigo Roll Products



| No.                                    | ECO | Catalog No. | Wt. | Facestock   | Adh.  | Liner             | Master Width | Warehouse |    |    |    |
|--|-----|-------------|-----|---|-------|-------------------|--------------|-----------|----|----|----|
|  |     |             |     |   |       |                   |              | WI        | NV | GA | MX |
| <b>OPTIMIZED FOR HP INDIGO PRESSES</b> |     |             |     |   |       |                   |              |           |    |    |    |
| 1                                      |     | W030160     | 70# | Recycled Matte w/ 80% Recycled                                      | H-318 | 44# PK            | 39"          | x         | x  |    |    |
| 2                                      |     | W029180     | 60# | Recycled Vellum 100% PCW, w/ Wet Strength, FSC® Certified           | H-318 | 44# PK            | 39"          | x         | x  |    | x  |
|  |     | W035882     | 60# | Recycled Vellum - 100% PCW, w/ Wet Strength, FSC® Certified         | H-318 | 1.2 mil 90% r-PET | 39"          | x         | x  |    |    |
| 3                                      |     | W032713     | 60# | Estate Label® #12 100% PCW, w/ Wet Strength, FSC® Certified         | H-318 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 4                                      |     | W028147     | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | H-318 | 40#               | 52"          | x         |    |    | x  |
|  |     | W027649     | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | H-318 | 44# PK            | 52"          | x         | x  |    |    |
|  |     | W026971     | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | H-318 | 1.2 mil PET       | 52"          | x         | x  |    | x  |
|  |     | W027510     | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | i8017 | 1.2 mil PET       | 39"          | x         | x  |    | x  |
|  |     | W034214     | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | 890   | 44# PK            | 39"          | x         |    |    |    |
| 5                                      |     | W035694     | 70# | Bright White Felt 100% PCW, w/ Wet Strength, FSC® Certified         | i8017 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 6                                      |     | W035288     | 90# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified          | i8017 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 7                                      |     | W027852     | 70# | Natural Felt 30% PCW, w/ Wet Strength                               | H-318 | 44# PK            | 39"          | x         | x  | x  | x  |
|  |     | W027854     | 70# | Natural Felt 30% PCW, w/ Wet Strength                               | H-318 | 1.2 mil PET       | 39"          | x         | x  |    |    |
| 8                                      |     | W027651     | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified              | H-318 | 44# PK            | 52"          | x         | x  |    | x  |
|  |     | W027877     | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified              | H-318 | 1.2 mil PET       | 39"          | x         | x  |    |    |
| 9                                      |     | W029280     | 70# | Sunset Gold Felt 30% PCW, w/ Wet Strength, FSC® Certified           | H-318 | 1.2 mil PET       | 39"          | x         |    |    |    |
| 10                                     |     | W027811     | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength                      | H-318 | 44# PK            | 39"          | x         |    |    |    |
|  |     | W028068     | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength                      | H-318 | 1.2 mil PET       | 39"          | x         | x  |    |    |
| 11                                     |     | W036708     | 84# | Cotton Courtyard Felt (100% Cotton) w/ Wet Strength                 | i8017 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 12                                     |     | W028897     | 60# | Solar White Classic Crest® 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK            | 39"          | x         | x  |    |    |
|  |     | W029459     | 60# | Solar White Classic Crest® 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET       | 39"          | x         | x  |    |    |
| 13                                     |     | W035302     | 60# | Sugar Cane Paper 100% Tree Free, w/ Wet Strength                    | H-318 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 14                                     |     | W033744     | 60# | 420 Vellum 50% Hemp 50% PCW w/ Wet Strength, FSC® Certified         | i8017 | 1.2 mil 90% r-PET | 39"          | x         |    |    |    |
| 15                                     |     | W034893     | 50# | Aged Agave - 100% PCW, w/ Wet Strength, FSC® Certified              | H-318 | 1.2 mil 90% r-PET | 39"          | x         |    |    | x  |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico



# SUSTAINABLE PRODUCTS STOCK LIST

## Indigo Roll Products



| No. | Eco | Catalog No. | Wt.   | Facestock   | Adh.    | Liner             | Master Width | Warehouse |    |    |    |
|-----|-----|-------------|-------|---|---------|-------------------|--------------|-----------|----|----|----|
|     |     |             |       |   |         |                   |              | WI        | NV | GA | MX |
| 16  |     | W021008     | 55#   | 100% Recycled Natural Kraft   | 245     | 40#               | 52"          | x         | x  |    | x  |
|     |     | W034895     | 55#   | 100% Recycled Natural Kraft   | H-318   | 1.2 mil 90% r-PET | 39"          | x         | x  |    |    |
| 17  |     | W017352     | 4 mil | White Stone Paper   | 245     | 40#               | 39"          | x         | x  |    | x  |
|     |     | W037711     | 60#   | Hydro Opaque™ Avon Brilliant White Classic® Crest w/ Wet Strength, FSC® Certified | H-309   | 1.2 mil PET       | 39"          | x         |    |    |    |
| 19  |     | W028785     | 85#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified      | PW-831  | 1.2 mil PET       | 39"          | x         | x  |    |    |
|     |     | W029194     | 85#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified      | PW-831  | 44# PK            | 39"          | x         | x  |    |    |
| 20  |     | W029232     | 85#   | Ever Opaque® XL - Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified          | PW-831  | 1.2 mil PET       | 39"          | x         | x  |    |    |
| 21  |     | W016187     | 2 mil | Shimless Rainbow Holographic PET w/ 30% PCR                                       | AT-2060 | 50# SC            | 39"          | x         | x  |    | x  |
|     |     | W023760     | 2 mil | Shimless Rainbow Holographic PET w/ 30% PCR                                       | AT-2060 | 1.2 mil PET       | 39"          | x         |    |    |    |
|     |     | W015353     | 55#   | Digital White Semi Gloss, FSC® Certified  | 245     | 40#               | 60"          | x         | x  | x  | x  |
|     |     | W037117     | 60#   | Semi Gloss, FSC® Certified  | 245     | 40#               | 52"          | x         | x  | x  |    |
|     |     | W037100     | 60#   | Semi Gloss, FSC® Certified  | R-201   | 40#               | 39"          | x         | x  |    |    |
|     |     | W037097     | 60#   | Semi Gloss, FSC® Certified  | H-318   | 44# PK            | 52"          | x         | x  | x  |    |
|     |     | W028890     | 60#   | Estate Label® #4 w/ Wet Strength, FSC® Certified                                  | H-318   | 40#               | 52"          | x         |    |    | x  |
|     |     | W027828     | 60#   | Estate Label® #4 w/ Wet Strength, FSC® Certified                                  | H-318   | 44# PK            | 52"          | x         | x  | x  |    |
|     |     | W027833     | 60#   | Estate Label® #4 w/ Wet Strength, FSC® Certified                                  | H-318   | 1.2 mil PET       | 52"          | x         | x  |    |    |
|     |     | W028166     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                                  | H-318   | 40#               | 39"          | x         |    |    | x  |
|     |     | W027826     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                                  | H-318   | 44# PK            | 52"          | x         | x  |    |    |
|     |     | W025551     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                                  | H-318   | 1.2 mil PET       | 52"          | x         | x  |    |    |
|     |     | W034210     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                                  | 890     | 44# PK            | 39"          | x         |    |    |    |
|     |     | W024689     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                                  | i8017*  | 1.2 mil PET       | 39"          | x         | x  |    | x  |
|     |     | W034224     | 60#   | Estate Label® #9 w/ Wet Strength, FSC® Certified                                  | 890     | 44# PK            | 39"          | x         |    |    |    |
|     |     | W028894     | 60#   | Estate Label® #9 w/ Wet Strength, FSC® Certified                                  | H-318   | 40#               | 52"          | x         |    |    | x  |
|     |     | W027835     | 60#   | Estate Label® #9 w/ Wet Strength, FSC® Certified                                  | H-318   | 44# PK            | 52"          | x         | x  | x  |    |
|     |     | W027886     | 60#   | Estate Label® #9 w/ Wet Strength, FSC® Certified                                  | H-318   | 1.2 mil PET       | 39"          | x         | x  |    |    |
|     |     | W027845     | 60#   | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified               | H-318   | 44# PK            | 39"          | x         | x  |    |    |
|     |     | W027847     | 60#   | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified               | H-318   | 1.2 mil PET       | 39"          | x         | x  |    |    |
|     |     | W028046     | 60#   | Classic Natural White Classic Crest® w/ Wet Strength, FSC® Certified              | H-318   | 44# PK            | 39"          | x         | x  |    | x  |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin

NV = Las Vegas, Nevada

GA = Roopville, Georgia

MX = Mexico City, Mexico

# SUSTAINABLE PRODUCTS STOCK LIST Indigo Roll Products



| No. | Eco | Catalog No. | Wt.  | Facestock   | Adh.   | Liner       | Master Width | Warehouse |    |    |    |
|-----|-----|-------------|------|---|--------|-------------|--------------|-----------|----|----|----|
|     |     |             |      |   |        |             |              | WI        | NV | GA | MX |
|     |     | WO31708     | 60#  | Classic Natural White Classic Crest® w/ Wet Strength, FSC® Certified                  | H-318  | 1.2 mil PET | 39"          | x         |    |    |    |
|     |     | WO34222     | 60#  | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified                   | 890    | 44# PK      | 39"          | x         |    |    |    |
|     |     | WO27842     | 60#  | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified                   | H-318  | 44# PK      | 52"          | x         | x  |    | x  |
|     |     | WO27899     | 60#  | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified                   | H-318  | 1.2 mil PET | 39"          | x         | x  |    |    |
|     |     | WO31368     | 70#  | Classic Natural White Felt w/ Wet Strength, FSC® Certified                            | H-318  | 1.2 mil PET | 39"          | x         |    |    |    |
|     |     | WO29017     | 60#  | Starlight Diamond w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified        | H-318  | 44# PK      | 39"          | x         | x  |    | x  |
|     |     | WO29026     | 60#  | Starlight w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified                | H-318  | 44# PK      | 39"          | x         | x  |    | x  |
|     |     | WO29023     | 60#  | Starlight Linear w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified         | H-318  | 44# PK      | 39"          | x         |    |    |    |
|     |     | WO29021     | 60#  | Shimmer w/ Wet Strength   | H-318  | 44# PK      | 39"          | x         | x  |    |    |
|     |     | WO29020     | 60#  | Pearlescent w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified              | H-318  | 44# PK      | 39"          | x         | x  |    | x  |
|     |     | WO29461     | 60#  | Pearlescent w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified              | H-318  | 1.2 mil PET | 39"          | x         |    |    |    |
|     |     | WO29019     | 60#  | White Gold w/ Wet Strength, FSC® Certified/Wet Strength, FSC® Certified               | H-318  | 44# PK      | 39"          | x         |    |    |    |
|     |     | WO29281     | 60#  | Gold Starlight w/ Wet Strength, FSC® Certified  | H-318  | 44# PK      | 39"          | x         |    |    |    |
|     |     | WO32538     | 70#  | White Celtic Linen w/ Wet Strength  | i8017  | 1.2 mil PET | 39"          | x         |    |    | x  |
|     |     | WO32927     | 95#  | White Valencia w/ Wet Strength, FSC® Certified  | i8017  | 1.2 mil PET | 39"          | x         |    |    |    |
|     |     | WO32858     | 60#  | Natural White Picasso w/ Wet Strength, FSC® Certified                                 | H-318  | 1.2 mil PET | 39"          | x         |    |    |    |
|     |     | WO37645     | 100# | Rustichello Non-Woven, FSC® Certified   | 245-R  | 1.2 mil PET | 26"          | x         |    |    |    |
|     |     | WO28788     | 75#  | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified                    | PW-831 | 1.2 mil PET | 39"          | x         | x  |    | x  |
|     |     | WO29195     | 75#  | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified                    | PW-831 | 44# PK      | 52"          | x         | x  |    | x  |
|     |     | WO29234     | 75#  | Ever Opaque® XL - Estate Label® #9 w/ Wet Strength, FSC® Certified                    | PW-831 | 1.2 mil PET | 39"          | x         | x  |    | x  |
|     |     | WO29233     | 75#  | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39"          | x         | x  |    | x  |

Ever Opaque® XL is a registered trademark of Wausau Coated Products, Inc.

### Trim Program Guidelines - Indigo

Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

Minimum order quantity for orders shipping from Wausau, WI or Las Vegas, NV warehouse is one roll at 12 - 13" roll or One Master x 1,668 lf.

Look for our FSC®-certified products

Minimum order quantity for orders shipping from all other warehouses is one master x 1,668 lf.

FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

Order deadline for next day shipments from Las Vegas: 4:00 pm CST

1 splice per 2,500 - 5,000 lf

A signifies an environmentally friendly facestock.

Palletizing is Customer Preference

WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Mexico City, Mexico