

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



Wausau Coated Products' line of pressure sensitive wine label material offers unlimited options for wine and beverage labels including coated and uncoated facestocks, pearlescents, elegant textures and eco-friendly options.

Stocked Products

Our wine label collection includes 220+ stocked products giving you a wide selection of products to choose from to fit your brand best. You'll find a variety of pressure sensitive wine label material optimized for use on HP Indigo, ILP and Flexo presses.

Custom Products

We specialize in developing solutions that are designed to meet customer specific applications and end-use needs. Many of our wine label facestocks can be made with a variety of adhesives and liners to create the perfect custom wine label.

For more information regarding our stocked, custom or environmentally responsible wine label products, contact Wausau Coated Products' Customer Solutions Team at **800-345-8039** or visit **wausaucoated.com**



WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Warehouse | | | | | |
|----------------------------------------|-----|-------------|-----|----------------------------------------------------------------------|-------|-------------------|--------------|--------|-----------|----|----|----|--|--|
| | | | | | | | | | WI | NV | GA | MX | | |
| OPTIMIZED FOR HP INDIGO PRESSES | | | | | | | | | | | | | | |
| COATED PRODUCTS | | | | | | | | | | | | | | |
| 17 | | W030285 | 60# | Matte | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| 18 | | W027761 | 60# | Matte w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| | | W027824 | 60# | Matte w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | | | |
| 19 | | W030160 | 70# | Recycled Matte | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| 20 | | W037097 | 60# | Semi Gloss, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | | | | |
| 23 | | W027672 | 60# | High Gloss | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| | | W027742 | 60# | High Gloss | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | | | |
| UNCOATED/SPECIALTY PRODUCTS | | | | | | | | | | | | | | |
| 6 | | W026242 | 74# | Polar White Opaque w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | | | |
| 8 | | W028844 | 60# | Black Vellum w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | x | x | | | |
| | | W028128 | 60# | Black Vellum w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | x | | |
| 9 | | W021008 | 55# | 100% Recycled Natural Kraft | 245 | 40# | 39" | 1,668' | x | x | | x | | |
| | | W034895 | 55# | 100% Recycled Natural Kraft | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | x | x | | | | |
| 10 | | W029180 | 60# | Recycled Vellum 100% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | x | | |
| | | W035882 | 60# | Recycled Vellum 100% PCW w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | x | x | | | | |
| 11 | | W028897 | 60# | Solar White Classic Crest® 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| | | W029459 | 60# | Solar White Classic Crest® 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | | | |
| 12 | | W027845 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | | | |
| | | W027847 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | | | |
| 13 | | W028046 | 60# | Classic Natural White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | x | | |
| | | W031708 | 60# | Classic Natural White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | | | |
| 14 | | W028166 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 40# | 39" | 1,668' | x | | | x | | |
| | | W027826 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | | | | |
| | | W025551 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | x | x | | x | | |
| | | W024689 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | x | x | | x | | |
| | | W034210 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | 890 | 44# PK | 39" | 1,668' | x | | | | | |

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Warehouse | | | |
|-----|-----|-------------|----------|----------------------------------------------------------------|---------|-------------------|--------------|--------|-----------|----|----|----|
| | | | | | | | | | WI | NV | GA | MX |
| 15 | | W032713 | 60# | Estate Label® #12 100% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| 24 | | W016451 | 60# | Shimless Rainbow Holographic Paper | AT-2060 | 40# | 39" | 1,668' | x | x | | |
| 26 | | W012036 | 63# | Bright Silver Metalized Paper | 245 | 40# | 39" | 1,668' | x | x | | x |
| | | W012900 | 63# | Bright Silver Metalized Paper | 245 | 44# PK | 39" | 1,668' | x | x | | |
| | | W034898 | 63# | Bright Silver Metalized Paper | WL-105 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| 27 | | W034900 | 70# | Bright Silver Foil | WL-105 | 44# PK | 26" | 1,668' | x | x | | |
| 28 | | W011378 | 70# | Dull Silver Foil | PCT-524 | 40# | 26" | 1,668' | x | x | | x |
| | | W015257 | 70# | Dull Silver Foil | PCT-524 | 44# PK | 26" | 1,668' | x | x | | |
| | | W034216 | 70# | Dull Silver Foil | 890 | 44# PK | 26" | 1,668' | x | | | |
| 29 | | W031410 | 143# | Castile Bright Silver Foil | i8017 | 1.2 mil PET | 26" | 1,668' | x | | | |
| 36 | | W029546 | | Satin Cloth | i8308 | 44# PK | 26" | 1,668' | x | x | | |
| 37 | | W032316 | 16.7 mil | Twill Natural Cloth | i8017 | 1.2 mil PET | 26" | 1,668' | x | | | |
| 38 | | W032244 | 152# | Castile Cotton Courtyard w/ Wet Strength | i8017 | 1.2 mil PET | 26" | 1,668' | x | | | |
| 40 | | W035302 | 60# | Sugar Cane Paper 100% Tree Free w/ Wet Strength | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| 42 | | W033744 | 60# | 420 Vellum, 50% Hemp, 50% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| 43 | | W034893 | 50# | Aged Agave 100% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | x |
| 44 | | W027811 | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | | | |
| | | W028068 | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| 45 | | W031558 | | Birch Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 46 | | W031478 | | Cherry Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 47 | | W035139 | | Oak Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 48 | | W031538 | 155# | Midnight Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 49 | | W031100 | 155# | Crimson Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 50 | | W029026 | 60# | Starlight w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | x |
| 51 | | W029023 | 60# | Starlight Linear w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | | | |
| 52 | | W029017 | 60# | Starlight Diamond w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | |
| 53 | | W029020 | 60# | Pearlescent w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | | x |
| | | W029461 | 60# | Pearlescent w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 54 | | W029021 | 60# | Shimmer w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | x | | |
| 55 | | W029019 | 60# | White Gold w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | | | |
| 56 | | W029281 | 60# | Gold Starlight w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | | | |

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Warehouse | | | |
|-----|-----|-------------|-----|---------------------------------------------------------------------------------------|--------|-------------------|--------------|--------|-----------|----|----|----|
| | | | | | | | | | WI | NV | GA | MX |
| 57 | | W029280 | 70# | Sunset Gold Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 58 | | W035936 | 60# | Black Pearlescent w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 60 | | W037711 | 60# | Hydro Opaque™ Avon Brilliant White Classic® Crest w/ Wet Strength, FSC® Certified | H-309 | 1.2 mil PET | 39" | 1,668' | x | | | |
| | | W028788 | 75# | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 52" | 1,668' | x | x | | x |
| | | W029195 | 75# | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 52" | 1,668' | x | x | | x |
| 61 | | W029234 | 75# | Ever Opaque® XL - Estate Label® #9 w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | x | x | | x |
| 62 | | W029233 | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | x | x | | x |
| 64 | | W028785 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| | | W029194 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | x | x | | |
| 65 | | W029232 | 85# | Ever Opaque® XL - Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| 66 | | W029235 | 76# | Ever Opaque® XL - Matte w/ Wet Strength | PW-831 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 68 | | W027168 | 60# | White Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| 69 | | W035147 | 60# | Black Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 70 | | W026261 | 60# | White Latitude w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 72 | | W029076 | 60# | Tramado Blanco w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | | | |
| 73 | | W032858 | 60# | Natural White Picasso w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 74 | | W032538 | 70# | White Celtic Linen w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | x |
| 75 | | W032927 | 95# | White Valencia Laminate w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 76 | | W027649 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | | |
| | | W026971 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | x | x | | x |
| | | W027510* | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | x | x | | x |
| | | W034214 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | 890 | 44# PK | 39" | 1,668' | x | | | |
| 77 | | W035694 | 70# | Bright White Felt 100% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| 78 | | W035288 | 90# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| 79 | | W031368 | 70# | Classic® Natural White Felt, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 80 | | W027852 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | x | x | x | x |
| | | W027854 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | |

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Warehouse | | | |
|--------------|-----|-------------|---------|---------------------------------------------------------------------|---------|-------------------|--------------|--------|-----------|----|----|----|
| | | | | | | | | | WI | NV | GA | MX |
| 81 | | W027651 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | | x |
| | | W027877 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| 82 | | W027899 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| | | W027842 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | | x |
| | | W034222 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | 890 | 44# PK | 39" | 1,668' | x | | | |
| 83 | | W027828 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | x | |
| | | W027833 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | x | x | | |
| 84 | | W028894 | 60# | Estate Label® #9 Laid w/ Wet Strength, FSC® Certified | H-318 | 40# | 52" | 1,668' | x | | | x |
| | | W027835 | 60# | Estate Label® #9 Laid w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | x | x | x | |
| | | W027886 | 60# | Estate Label® #9 Laid w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| | | W034224 | 60# | Estate Label® #9 Laid w/ Wet Strength, FSC® Certified | 890 | 44# PK | 39" | 1,668' | x | | | |
| | | W036708 | 84# | Cotton Courtyard Felt (100% Cotton) w/ Wet Strength | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | x | | | |
| | | W027902 | 60# | Martele White w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | x | x | | |
| | | W037645 | 100# | Rustichello Non-Woven, FSC® Certified | 245-R | 1.2 mil PET | 26" | 1,668' | x | | | |
| FILMS | | | | | | | | | | | | |
| 30 | | W016187 | 2 mil | Shimless Rainbow Holographic PET w/ 30% PCR | AT-2060 | 50# SC | 39" | 1,668' | x | x | | x |
| | | W023760 | 2 mil | Shimless Rainbow Holographic PET w/ 30% PCR | AT-2060 | 1.2 mil PET | 39" | 1,668' | x | | | |
| 31 | | W017956 | 2.3 mil | White Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| | | W018140 | 2.3 mil | White Polypropylene | AT-2060 | 40# | 39" | 1,668' | x | x | | |
| 32 | | W018510 | 2.6 mil | White Polypropylene | AT-2060 | 44# PK | 39" | 1,668' | x | x | | |
| | | W017954 | 2.6 mil | White Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | x | x | | |
| | | W018134 | 2.6 mil | White Polypropylene | AT-2060 | 40# | 39" | 1,668' | x | x | | x |

Trim Program Guidelines - Indigo

- Roll length can vary by +/- 5%
- Minimum Order Quantity - One 12-13" roll or One Master x 1,668 lf
- Order deadline for next day shipments from Las Vegas: 4:00 pm CST
- 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

Ever Opaque® XL is a trademark of Wausau Coated Products, Inc.

Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | | |
|------------------------------------|-----|-------------|-----|--------------------------------------------------------------------|-------|-------------|--------------|--------|-------------------|-----------|----|----|----|
| | | | | | | | | | | WI | NV | GA | MX |
| FLEXO/ILP | | | | | | | | | | | | | |
| COATED PRODUCTS | | | | | | | | | | | | | |
| 18 | | W027759 | 60# | Matte w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W027823 | 60# | Matte w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 21 | | W037091 | 60# | Semi Gloss, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 22 | | W030737 | 80# | Semi Gloss | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 23 | | W027669 | 60# | High Gloss | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W027741 | 60# | High Gloss | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| UNCOATED/SPECIALTY PRODUCTS | | | | | | | | | | | | | |
| 6 | | W027880 | 60# | Polar White Uncoated w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 7 | | W035576 | 74# | Polar White Opaque w/ Wet Strength | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 8 | | W027896 | 60# | Black Vellum w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| | | W035752 | 60# | Black Vellum w/ Wet Strength | H-318 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 9 | | W033578 | 55# | 100% Recycled Natural Kraft | 245 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | | x |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 10 | | W035559 | 60# | Recycled Vellum 100% PCW w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 11 | | W035577 | 60# | Solar White Classic Crest® 30% PCW,w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | | |
|-----|---------|-------------|--------------------------------------------------|---------------------------------------------------------------------|-------------|-------------------|--------------|-------------------|-------------------|-----------|----|----|----|
| | | | | | | | | | | WI | NV | GA | MX |
| 12 | 🌱 | W027805 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | 🌱 | W027846 | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | | x |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 14 | 🌱 | W026462 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | 🌱 | W025550 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 🌱 | W036454 | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | WA-769 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | | |
| | | | | | | | 2,500' | No Trim | x | | | | |
| | 🌱 | W024688* | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | | | |
| 26 | | W012899 | 63# | Bright Silver Metalized Paper | 245 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W012035 | 63# | Bright Silver Metalized Paper | 241 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| | | W034919 | 63# | Bright Silver Metalized Paper | WL-105 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 27 | | W032804 | 70# | Bright Silver Foil | WL-100 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | | |
| 29 | | W031409 | 143# | Castile Bright Silver Foil | i8017 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | | |
| | | W035441 | 143# | Castile Bright Silver Foil Dual Metal | i8017 | 1.2 mil PET | 26" | 1,668' | Master x 1,668 LF | x | | | x |
| 41 | 🌱 | W017351 | 4 mil | White Stone Paper | 241 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 42 | 🌱 | W033743 | 60# | 420 Vellum 50% Hemp, 50% PCW w/ Wet Strength | i8017 | 1.2 mil 90% r-PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 43 | 🌱 | W035046 | 50# | Aged Agave 100% PCW w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | 39" | 1,668' | Master x 1,668 LF | x | | | x |
| | | | | | | | | 2,500' | No Trim | x | | | |
| 44 | 🌱 | W027810 | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 45 | | W032189 | | TC Birch Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | | | |

*Suitable for Neck Label applications

A 🌱 signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | | |
|-----|-----|-------------|------|----------------------------------------------------------------------------------------|--------|-------------|--------------|--------|-------------------|-----------|----|----|----|
| | | | | | | | | | | WI | NV | GA | MX |
| 46 | | W031551 | | TC Cherry Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | | | |
| 47 | | W035385 | | TC Oak Wood Veneer | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | | | |
| 48 | | W030373 | 155# | Midnight Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 49 | | W029544 | 155# | Crimson Flocked Marquee | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 50 | | W033579 | 60# | Starlight w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| | | W037707 | 60# | Hydro Opaque™ Avon Brilliant White Classic® Crest w/ Wet Strength, FSC® Certified | H-309 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 59 | | W029230 | 75# | Ever Opaque® XL - Estate Label® #4, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 60 | | W029229 | 75# | Ever Opaque® XL - Estate Label® #8, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W028961 | 75# | Ever Opaque® XL - Estate Label® #8, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 61 | | W029228 | 75# | Ever Opaque® XL - Estate Label® #9, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 62 | | W029227 | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest®, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W035574 | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest®, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 63 | | W029226 | 75# | Ever Opaque® XL - Avon Brilliant White Classic® Linen, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 64 | | W034346 | 95# | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | 890 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | | | | | | |
| | | W029129 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | W029153 | 85# | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 65 | | W029085 | 85# | Ever Opaque® XL - Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | | |

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| ECO | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | | |
|---------|-------------|---------------------------------------------------------------------|---------------------------------------------------------------------|-------------|-------------|--------------|-------------------|-------------------|-----------|----|----|----|
| | | | | | | | | | WI | NV | GA | MX |
| 67 | W029231 | 76# | Ever Opaque® XL - Matte, w/ Wet Strength | PW-831 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| 68 | W027167 | 60# | White Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 71 | W030779 | 60# | White Motif w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| 76 | W026460 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| | W026970 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| | W036453 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | WA-769 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | W025866* | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| | W027509 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| W035550 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8076 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | | |
| W037846 | 70# | Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | i8021 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | | | |
| 80 | W027800 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| W027853 | 70# | Natural Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | | |
| | | | | | | 2,500' | No Trim | x | x | | | |
| 81 | W027650 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| W027876 | 70# | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | | |
| | | | | | | 2,500' | No Trim | x | x | | | |
| 82 | W027802 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | 2,500' | No Trim | x | x | | |
| W027898 | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | | |
| | | | | | | 2,500' | No Trim | x | x | | | |

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico

WINE, BEER & SPIRITS COLLECTION

ROLL STOCK LIST



| No. | Eco | Catalog No. | Wt. | Facestock | Adh. | Liner | Master Width | MOQ | Service | Warehouse | | | |
|-----|-----|-------------|-----|--------------------------------------------------------|-------|-------------|--------------|--------|-------------------|-----------|----|----|----|
| | | | | | | | | | | WI | NV | GA | MX |
| 83 | | W027827 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 52" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W027832 | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 84 | | W027834 | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| | | W027885 | 60# | Estate Label® #9 w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | | | | | | | 2,500' | No Trim | x | x | | |
| 85 | | W035489 | 55# | Bella Label White Laid w/ Wet Strength, FSC® Certified | 890 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | x |
| | | W027901 | 60# | Martele White w/ Wet Strength | H-318 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | x | | |

FILMS

| | | | | | | | | | | | | | |
|----|--|---------|---------|------------------------------------------|---------|-------------|-----|--------|-------------------|---|---|---|--|
| 30 | | W020658 | 2 mil | Shimless Rainbow PET Hologram w/ 30% PCR | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | | x | |
| 31 | | W027926 | 2.3 mil | TC White Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 32 | | W024469 | 2.6 mil | TC White Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| | | W028173 | 2.6 mil | TC White Polypropylene | AT-2060 | 44# PK | 39" | 1,668' | Master x 1,668 LF | x | | | |
| | | W029462 | 2.6 mil | TC White Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| 33 | | W025420 | 2 mil | TC Metalized Polypropylene | AT-2060 | 40# | 39" | 1,668' | Master x 1,668 LF | x | x | x | |
| | | W028783 | 2 mil | TC Metalized Polypropylene | AT-2060 | 50# SC | 39" | 1,668' | Master x 1,668 LF | x | x | | |
| | | W026292 | 2 mil | TC Metalized Polypropylene | AT-2060 | 1.2 mil PET | 39" | 1,668' | Master x 1,668 LF | x | | | |

No Trim Program Guidelines - Flexo

- Roll lengths can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
- Minimum width - 4" roll
- Order deadline for next day shipments from Las Vegas: 4:00 pm CST
- 1 Splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

Ever Opaque® XL is a trademark of Wausau Coated Products, Inc.

Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

Look for our FSC®-certified products

FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

*Suitable for Neck Label applications

A signifies an environmentally friendly facestock.

WI = Wausau, Wisconsin NV = Las Vegas, Nevada GA = Roopville, Georgia MX = Mexico City, Mexico